

## © 2023 AODES BRAND

ODES USA INC

5549 Stockdale Court, Jurupa Valley, CA 92509, United States (+1) 951 999 9180 info@aodes.com






































## TRAILCROSS 400



## TRAILCROSS 400 DUMP BED



ENGINE Type Fuel Delivery System Transmission way Drive Train Power Steering	4-stroke, Single-Cylinder, Oil-cooled Electronic Fuel Injection (EFI) Chain drive 2WD —	4-stroke, Single-Cylinder, Liquid Cooled Electronic Fuel Injection (EFI) Shaft drive 2WD —
SUSPENSIONS Front Suspension Rear Suspension Shocks	Independent Dual A-Arm Solid Axle / Independent Dual A-Arm Adjustable Coilover Shocks	Independent Dual A-Arm Solid Axle / Independent Dual A-Arm Adjustable Coilover Shocks
<b>WHEELS</b> Front Rear	24×8-12 24×8-12	24×8-R12 24×8-R12
<b>BRAKES</b> Front Rear	Disc brake Disc brake	Disc brake Disc brake
DIMENSIONS & CAPACITIES Curb Weight: (Kgs) Gross Vehicle Weight (Kgs) L×W×H (mm) Wheelbase (mm) Minimum ground clearance (mm) Bed dimensions (mm) Fuel Capacity (L)	425 725 2895×1289×1870 1840 155 — 25.3	415 665 2645×1340×1825 1840 155 1185x×775.5×224.5 25.3
FEATURES Gauge Parking brake type Lighting Front Alloy Rims Rear Alloy Rims Protection	Digital dashdisplay Handle brake LED headlight, LED tail lights Front: 12×6 Rear: 12×6 Front bumper	Digital dashdisplay Handle brake LED headlight, LED tail lights Front: 10×5.5 Rear: 10×8 Front bumper